TOSHIBA

Ribbons for B-EX6T1

Product information

- The right ribbon quality for every application.
- Ribbons directly from the manufacturer: Toshiba original consumables are perfectly matched to Toshiba label printers and the used print head technologies. They guarantee high quality printing while also lowering abrasion of the print head.
- The perfect combination: Toshiba's wide range of available ribbons is the outcome of years of research and development. Each of the ribbons offers different printing characteristics, which are specially adapted to the specific application.

e-CONCEPT®

TOGETHER INFORMATION

Protect yourB-EX6T1 - With original ribbons from Toshiba

WAX-RESIN qualities in black

Ideal use for retail, production, manufacturing and outdoor applications

AG2

Premium Wax-Resin, excellent print quality even with 90° rotated barcodes, very good abrasion resistance and suitable for matt-finished to semi-gloss materials

Cost	Durability	Surface	
●●●○○	●●●○○	Standard	●●●○○
		Coated	●●●●●
		Synthetic	●●●●○

Width	Length	Article number
48 mm	600 m	BX760048AG2
55 mm	600 m	BX760055AG2
68 mm	600 m	BX760068AG2
76 mm	600 m	BX760076AG2
84 mm	600 m	BX760084AG2
89 mm	600 m	BX760089AG2
102 mm	600 m	BX760102AG2
112 mm	600 m	BX760112AG2
114 mm	600 m	BX760114AG2
134 mm	600 m	BX760134AG2
152 mm	600 m	BEX60152AG2
160 mm	600 m	BEX60160AG2
170 mm	600 m	BEX60170AG2

AG6E

Premium Wax-Resin, 800m length, excellent abrasion resistance, for matt-finished to semi-gloss materials

Cost	Durability	Surface	
●●●○○	●●●○○	Standard	●●●○○
		Coated	●●●●●
		Synthetic	●●●●○

Width	Length	Article number
48 mm	800 m	BX780048AG6E
55 mm	800 m	BX780055AG6E
68 mm	800 m	BX780068AG6E
76 mm	800 m	BX780076AG6E
84 mm	800 m	BX780084AG6E
89 mm	800 m	BX780089AG6E
102 mm	800 m	BX780102AG6E
112 mm	800 m	BX780112AG6E
114 mm	800 m	BX780114AG6E
134 mm	800 m	BX780134AG6E
152 mm	800 m	BEX80152AG6E
160 mm	800 m	BEX80160AG6E
170 mm	800 m	BEX80170AG6E

Upon request, we are happy to offer you further widths of the qualities wax-resin and resin in black, as well as a resin-synthetic (AS3 quality) for textile applications.

WAX-RESIN qualities in black (continued)

Ideal use for retail, production, manufacturing and outdoor applications

AG4

Premium Wax-Resin, highly smudge-resistant and suitable for many high-gloss and synthetic materials

Cost	Durability	Surface	
●●●●○	●●●●○	Standard	●○○○○
		Coated	●●●●●
		Synthetic	●●●●○

Width	Length	Article number
48 mm	600 m	BX760048AG4
55 mm	600 m	BX760055AG4
68 mm	600 m	BX760068AG4
76 mm	600 m	BX760076AG4
84 mm	600 m	BX760084AG4
89 mm	600 m	BX760089AG4
102 mm	600 m	BX760102AG4
112 mm	600 m	BX760112AG4
114 mm	600 m	BX760114AG4
134 mm	600 m	BX760134AG4
152 mm	600 m	BEX60152AG4
160 mm	600 m	BEX60160AG4
170 mm	600 m	BEX60170AG4

RG2

Premium Wax-Resin, excellent blackening, good heat resistance and suitable for matt-finished to semi-gloss materials

Cost	Durability	Surface	
●●●●○	●●●●○	Standard	●●○○○
		Coated	●●●●○
		Synthetic	●●●●○

Width	Length	Article number
55 mm	600 m	BX760055RG2
68 mm	600 m	BX760068RG2
76 mm	600 m	BX760076RG2
84 mm	600 m	BX760084RG2
88 mm	600 m	BX760088RG2
102 mm	600 m	BX760102RG2
112 mm	600 m	BX760112RG2
114 mm	600 m	BX760114RG2
134 mm	600 m	BX760134RG2

SG2

Premium Wax-Resin, excellent blackening and smudge resistance and suitable for papers and synthetics

Cost	Durability	Surface	
●●●○○	●●●○○	Standard	●●●○○
		Coated	●●●●●
		Synthetic	●●●●○

Width	Length	Article number
48 mm	600 m	BX760048SG2
55 mm	600 m	BX760055SG2
68 mm	600 m	BX760068SG2
76 mm	600 m	BX760076SG2
84 mm	600 m	BX760084SG2
88 mm	600 m	BX760088SG2
102 mm	600 m	BX760102SG2
112 mm	600 m	BX760112SG2
114 mm	600 m	BX760114SG2
134 mm	600 m	BX760134SG2
152 mm	600 m	BEX60152SG2
160 mm	600 m	BEX60160SG2
170 mm	600 m	BEX60170SG2

RESIN qualities in black

Ideal for use in industrial, electronic, chemical, pharmaceutical, automotive and textile industry

AS1

Resin Standard, scratch- and heat resistant up to 180°C as well as partially solvent resistant and suitable for synthetic materials (PVC, PET, PE, PP)

Cost	Durability	Surface
●●●●○	●●●●○	Standard ●○○○○
		Coated ●●●○○
		Synthetic ●●●●●

Width	Length	Article number
35 mm	600 m	BX760035AS1
48 mm	600 m	BX760048AS1
55 mm	600 m	BX760055AS1
68 mm	600 m	BX760068AS1
76 mm	600 m	BX760076AS1
84 mm	600 m	BX760084AS1
89 mm	600 m	BX760089AS1
102 mm	600 m	BX760102AS1
112 mm	600 m	BX760112AS1
114 mm	600 m	BX760114AS1
134 mm	600 m	BX760134AS1
152 mm	600 m	BEX60152AS1
160 mm	600 m	BEX60160AS1
170 mm	600 m	BEX60170AS1

RS1

Resin Standard, scratch resistant, conditionally solvent resistant, suitable for synthetic materials (PVC, PET, PE, PP)

Cost	Durability	Surface
●●●●○	●●●●●	Standard ●○○○○
		Coated ●●●○○
		Synthetic ●●●●●

Width (mm)	Läng	Article number
55 mm	600 m	BX760055RS1
68 mm	600 m	BX760068RS1
76 mm	600 m	BX760076RS1
84 mm	600 m	BX760084RS1
88 mm	600 m	BX760088RS1
102 mm	600 m	BX760102RS1
112 mm	600 m	BX760112RS1
134 mm	600 m	BX760134RS1

SS1

Resin Standard, scratch resistant, solvent resistant, suitable for synthetic materials (PVC, PET, PE, PP)

Cost	Durability	Surface
●●●●○	●●●●●	Standard ●○○○○
		Coated ●●●○○
		Synthetic ●●●●●

Width	Length	Article number
55 mm	600 m	BX760055SS1
68 mm	600 m	BX760068SS1
76 mm	600 m	BX760076SS1
84 mm	600 m	BX760084SS1
88 mm	600 m	BX760088SS1
102 mm	600 m	BX760102SS1
112 mm	600 m	BX760112SS1
114 mm	600 m	BX760114SS1
134 mm	600 m	BX760134SS1
152 mm	600 m	BEX60152SS1
160 mm	600 m	BEX60160SS1
170 mm	600 m	BEX60170SS1

RESIN qualities in black (continued)

Ideal for use in industrial, electronic, chemical, pharmaceutical, automotive and textile industry

AS2

Premium Resin, best heat resistance (250°C) and solvent resistance and suitable for synthetic materials (PVC, PET, PE, PP)

Cost	Durability	Surface
●●●●●	●●●●●	Standard ●○○○○
		Coated ●○○○○
		Synthetic ●●●●●

Width	Length	Article number
48 mm	600 m	BX760048AS2
55 mm	600 m	BX760055AS2
68 mm	600 m	BX760068AS2
76 mm	600 m	BX760076AS2
84 mm	600 m	BX760084AS2
89 mm	600 m	BX760089AS2
102 mm	600 m	BX760102AS2
112 mm	600 m	BX760112AS2
114 mm	600 m	BX760114AS2
134 mm	600 m	BX760134AS2
152 mm	600 m	BEX60152AS2
160 mm	600 m	BEX60160AS2
170 mm	600 m	BEX60170AS2

AS3

Premium Resin, textile quality, wash and iron resistant, for nylon, polyester or acetate materials

Cost	Durability	Surface
●●●●●	●●●●●	Standard ●○○○○
		Coated ●○○○○
		Synthetic ●○○○○
		Textile ●●●●●

Width	Length	Article number
152	600 m	BEX60152AS3
160	600 m	BEX60160AS3
170	600 m	BEX60170AS3



Colour ribbons

In addition to the standard black ribbon, other colours are available for the B-EX6T1 as well:

AG2 Premium Wax-Resin

Colour	Width	Length	Article number
red	55 mm	300 m	BX730055AG2SRE
	68 mm	300 m	BX730068AG2SRE
	76 mm	300 m	BX730076AG2SRE
	84 mm	300 m	BX730084AG2SRE
	102 mm	300 m	BX730102AG2SRE
	112 mm	300 m	BX730112AG2SRE
	134 mm	300 m	BX730134AG2SRE
blue	55 mm	300 m	BX730055AG2SBL
	68 mm	300 m	BX730068AG2SBL
	76 mm	300 m	BX730076AG2SBL
	84 mm	300 m	BX730084AG2SBL
	102 mm	300 m	BX730102AG2SBL
	112 mm	300 m	BX730112AG2SBL
	134 mm	300 m	BX730134AG2SBL
green	55 mm	300 m	BX730055AG2SGR
	68 mm	300 m	BX730068AG2SGR
	76 mm	300 m	BX730076AG2SGR
	84 mm	300 m	BX730084AG2SGR
	102 mm	300 m	BX730102AG2SGR
	112 mm	300 m	BX730112AG2SGR
	134 mm	300 m	BX730134AG2SGR

Colour	Width	Length	Article number
brown	55 mm	300 m	BX730055AG2SBR
	68 mm	300 m	BX730068AG2SBR
	76 mm	300 m	BX730076AG2SBR
	84 mm	300 m	BX730084AG2SBR
	102 mm	300 m	BX730102AG2SBR
	112 mm	300 m	BX730112AG2SBR
	134 mm	300 m	BX730134AG2SBR
yellow	55 mm	300 m	BX730055AG2SYE
	68 mm	300 m	BX730068AG2SYE
	76 mm	300 m	BX730076AG2SYE
	84 mm	300 m	BX730084AG2SYE
	102 mm	300 m	BX730102AG2SYE
	112 mm	300 m	BX730112AG2SYE
	134 mm	300 m	BX730134AG2SYE
orange	55 mm	300 m	BX730055AG2SOR
	68 mm	300 m	BX730068AG2SOR
	76 mm	300 m	BX730076AG2SOR
	84 mm	300 m	BX730084AG2SOR
	102 mm	300 m	BX730102AG2SOR
	112 mm	300 m	BX730112AG2SOR
	134 mm	300 m	BX730134AG2SOR

gold	upon request
silver	upon request

AG4 Premium Wax-Resin

Colour	Width	Length	Article number
Metallic white/silver	55 mm	300 m	BX730055AG4SMW
	68 mm	300 m	BX730068AG4SMW
	76 mm	300 m	BX730076AG4SMW
	84 mm	300 m	BX730084AG4SMW
	102 mm	300 m	BX730102AG4SMW
	112 mm	300 m	BX730114AG4SMW
	134 mm	300 m	BX730134AG4SMW

Colour ribbons

In addition to the standard black ribbon, other colours are available for the B-EX6T1 as well:

AS1 **Resin Standard**

Colour	Width	Length	Article number
red	55 mm	300 m	BX730055AS1SRE
	68 mm	300 m	BX730068AS1SRE
	76 mm	300 m	BX730076AS1SRE
	84 mm	300 m	BX730084AS1SRE
	102 mm	300 m	BX730102AS1SRE
	112 mm	300 m	BX730112AS1SRE
	134 mm	300 m	BX730134AS1SRE
blue	55 mm	300 m	BX730055AS1SBL
	68 mm	300 m	BX730068AS1SBL
	76 mm	300 m	BX730076AS1SBL
	84 mm	300 m	BX730084AS1SBL
	102 mm	300 m	BX730102AS1SBL
	112 mm	300 m	BX730112AS1SBL
	134 mm	300 m	BX730134AS1SBL
green	55 mm	300 m	BX730055AS1SGR
	68 mm	300 m	BX730068AS1SGR
	76 mm	300 m	BX730076AS1SGR
	84 mm	300 m	BX730084AS1SGR
	102 mm	300 m	BX730102AS1SGR
	112 mm	300 m	BX730112AS1SGR
	134 mm	300 m	BX730134AS1SGR

Experience in thermal printing pays off

The effort to be able to supply the perfectly matched ribbon for every application has made Toshiba one of the largest suppliers of thermal transfer ribbons.

Perfectly matched to printers

Before a ribbon is approved by Toshiba, it is first subjected to tests with high requirements and must prove its reliability in every area. This applies to different printing materials as well as to different printing speeds and temperatures. In addition, these tests are carried out on different printer models.

Only when all tests have been successfully completed is the respective ribbon approved as an original. The purchase of cheaper ribbons may seem like an attractive alternative in the short term, but can get costly in the long run.

Toshiba is proud to offer quality printers that are among the best in the market today. Toshiba is committed to ensure the same high standards for its ribbons.

Third party ribbons

Lower quality products can cause the following:

- Uneven printing
- Damage to the print head
- Loss of warranty
- Expensive downtime

Keep these risks in mind when choosing ribbons for your Toshiba printer. Toshiba original ribbons can be identified by the Toshiba logo on the trailer.

O Toshiba Tec

Tift je specializirano podjetje za industrijske in poslovne tiskalniške rešitve.

Toshiba Tec Germany Imaging Systems GmbH je del globalno delujoče Toshiba Tec Corporation, dejavne v različnih visokotehnoloških industrijskih sektorjih.

Toshiba Tec Corporation je vodilni dobavitelj informacijske tehnologije, ki delujejo v več panogah industrije - trgovina na drobno, izobraževanje in poslovne storitve do gostinstva in proizvodnje.

Toshiba Tec Corporation s sedežem na Japonskem in z več kot 80 odvisnimi družbami na svetu pomaga organizacijam preoblikovati način ustvarjanja, zapisovanja, deljenja, urejanja in prikazovanja informacij.

O podjetju TIFT

Tift je specializirano podjetje za industrijske in poslovne tiskalniške rešitve. Preko celovite ponudbe izdelkov vodilnih svetovnih proizvajalcev in kakovostnih inženirskih in vzdrževalnih storitev kupcem zagotavljamo tiskalniške rešitve, ki so povsem prilagojene poslovnim procesom.

Na tak način v podjetju Tift strankam omogočamo visoko produktivnost na vseh ravneh poslovanja ob optimalni kakovosti izpisov, nizkih stroških ter najmanjših možnih okoljskih obremenitvah.

Sistem e-CONCEPT daje odgovore na najpogostejše izzive, s katerimi se srečujejo danes organizacije na področju tiskanja in kopiranja: stroški, pomanjkanje informacij, nadzor in premik v smeri fokusiranja na osnovni posel.

S pomočjo sistema e-CONCEPT optimizirajte, upravljajte in nadzorujte dokumente vašega podjetja preko nižjih stroškov poslovanja, večje učinkovitosti in zniževanje energetske porabe.

Za več informacij se obrnite na nas:

TIFT UPRAVLJANJE STORITEV TISKANJA

TIFT, d.o.o., Kamniška 41, 1000 Ljubljana
T: 01 600 10 20, **M**: 031 665 144,
E: dobrodosli@tift.si, **W**: www.tift.si

Pridobili smo certifikat poslovne odličnosti:

SLOVENIA Excellent SME Preverite!

Together Information je Toshibina vizija o tem, kako naj bi ljudje in organizacije ustvarjali, zapisovali, delili, urejali in prikazovali zamisli in podatke.

Temelji na našem prepričanju, da so najuspešnejše organizacije tiste, pri katerih je posredovanje informacij najučinkovitejše.

To omogočimo s celostnim portfeljem posebnih industrijskih rešitev, ki vse odsevajo Toshibino zavezanost bodočnosti našega planeta.

Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation.
Copyright © 2021 Toshiba Tec, ProductInformation_Ribbons for B-EX6T1_IDD_20210209